

Receiver Driers Catalog



Bergstrom®



*Air Conditioning & Heating
Replacement Parts*

Receiver Driers

Receiver Drier Specifications	3
O-Ring Type Driers	3
Quick Disconnect Type Driers	5
In-Line Driers	5
Accumulators	6
Receiver Driers	6
O-Ring Type Receiver Driers	6
Quick Disconnect Type Receiver Driers	13
In-Line Type Receiver Driers	14
Spin-On Receiver Driers	15
Accumulators	15
Brackets & Valve Kits	17
Mounting Brackets	17
Pressure Relief Valve Kits	17
Service Tips	18



RECEIVER DRIERS

Receiver Drier Specifications

O-Ring Type Driers

Diameter	Height	Fuse/Pressure	Inlet	Outlet	Desiccant Level	Port	Glass	Part No
2 1/2" (63.5mm)	8" (203.2mm)	High Pressure Relief Valve	3/8" Male O-Ring	3/8" Male O-Ring	6	-	Top	B402562
2 1/2" (63.5mm)	8" (203.2mm)	Refrigerant Valve with Core	3/8" Male O-Ring	3/8" Male O-ring	8	-	-	1002089977
2 1/2" (63.5mm)	6 5/16" (160.3mm)	-	M18 Male O-Ring	M18 Male O-Ring	5	-	Top	1001453433
2 1/2" (63.5mm)	8" (203.2mm)	-	3/8" Male O-Ring	3/8" Male O-Ring	4	-	-	1001453455
2 3/4" (69.9mm)	10 1/16" (255.6mm)	Press Relief Valve/ Service Port	3/8" Male O-Ring	3/8" Male O-Ring	6	Side	-	1001451908
2 3/4" (69.9mm)	10" (254mm)	High Pressure Relief Valve/Low Pressure Switch	3/8" Male O-Ring	3/8" Male O-Ring	0	Side	Top	B402565
2 3/4" (69.9mm)	10 5/32" (258mm)	Fuse Plug	3/8" Male O-Ring	3/8" Male O-Ring	11	Top	Side	540062
3" (76.2mm)	10 1/8" (257.2mm)	(2) M10 Gauge Ports	3/8" Male O-Ring	3/8" Female O-Ring	16	Top	Top	540072C
3" (76.2mm)	10 1/4" (260.4mm)	(2) M10 Switch Ports	Pad Mount	Pad Mount	16	Top	Top	540433C
3" (76.2mm)	8 5/16" (211mm)	Switch Port/Service Port	3/8" Male O-Ring	3/8" Female O-Ring	6	Top	Top	1001450297
3" (76.2mm)	10 1/4" (260.4mm)	Press Relief Valve/ Service Port	3/8" Male O-Ring	3/8" Female O-Ring	6	Top	-	1001450363
3" (76.2mm)	10 1/4" (260.4mm)	Moisture Indicator	3/8" Male O-Ring	3/8" Male O-Ring	16	Top	Top	1001450393
3" (76.2mm)	10 1/4" (260.4mm)	Moisture Indicator/M10 Switch Port	Pad Mount	Pad Mount	6	Top	-	1001450396
3" (76.2mm)	10 3/16" (258.7mm)	M10 Switch Port	Pad Mount	Pad Mount	11	Side	-	1001450408
3" (76.2mm)	10 1/8" (257.2mm)	High Pressure Relief Valve	7/16" Female O-Ring	3/8" Female O-Ring	10	Top	Top	540107C
3" (76.2mm)	10 1/8" (257.2mm)	High Pressure Relief Valve	7/16" Female O-Ring	3/8" Female O-Ring	10	Top	Top	540127C
3" (76.2mm)	10 1/16" (255.6mm)	Press Relief Valve	11/16" Female O-Ring	3/8" Female O-Ring	9	Top	-	1001450631
3" (76.2mm)	10 1/8" (257.2mm)	Fuse Plug/Moisture Indicator	3/8" Male O-Ring	3/8" Male O-Ring	12	Top	Top	540078C
3" (76.2mm)	9 3/4" (247.7mm)	Moisture Indicator	5/8" Female O-Ring	5/8" Male O-Ring	12	Top	Top	1000007893
3" (76.2mm)	10 11/16" (271.4mm)	-	3/8 Tube Female	3/8 Tube Female	12	-	-	1000259983
3" (76.2mm)	10 11/16" (271.4mm)	-	Pad Mount	Pad Mount	12	-	-	1001053396
3" (76.2mm)	10 1/4" (260.4mm)	-	Pad Mount	Pad Mount	12	-	-	1002090588
3" (76.2mm)	10 1/16" (255.6mm)	Press Relief Valve	3/8" Male O-Ring	3/8" Male O-Ring	6	Side	-	1001451454
3" (76.2mm)	10 3/16" (258.7mm)	-	3/8" Female O-Ring	3/8" Male O-Ring	6	-	Top	1001451771
3" (76.2mm)	10 5/8" (270mm)	-	Pad Mount	Pad Mount	11	-	-	1001452021
3" (76.2mm)	10 1/8" (257.2mm)	Press Relief Valve	3/8" Male O-Ring	3/8" Male O-Ring	6	Side	-	1001452318
3" (76.2mm)	10 3/16" (258.7mm)	Press Relief Valve/ Service Port/Moisture Indicator	3/8" Male O-Ring	3/8" Male O-Ring	9	Top	-	1001451776
3" (76.2mm)	10 3/16" (258.7mm)	Press Relief Valve/ Service Port/Moisture Indicator	3/8" Male O-Ring	3/8" Male O-Ring	6	Top	-	1001451952
3" (76.2mm)	10 1/16" (255.6mm)	-	3/8" Tube Female	3/8" Tube Female	12	-	-	1000259984

Receiver Drier Specifications

O-Ring Type Driers

Diameter	Height	Fuse/Pressure	Inlet	Outlet	Desiccant Level	Port	Glass	Part No
3" (76.2mm)	10 1/16" (255.6mm)	-	3/8" Tube Female	3/8" Tube Female	12	-	-	1000259980
3" (76.2mm)	10 1/16" (255.6mm)	-	3/8" Tube Female	3/8" Tube Female	12	-	-	1000259981
3" (76.2mm)	10 5/8" (270mm)	-	Pad Mount	Pad Mount	11	-	-	1001452027
3" (76.2mm)	10 5/8" (270mm)	-	Pad Mount	Pad Mount	11	-	-	1001452028
3" (76.2mm)	9 1/4" (235mm)	Fuse Plug	3/8" Male O-Ring (Schrader Ports)	3/8" Male O-Ring (Schrader Ports)	4	Side	Top	540121
3" (76.2mm)	9 3/16" (233.2mm)	Moisture Indicator	3/8" Male O-Ring	3/8" Male O-Ring	12	Top	Top	526024C
3" (76.2mm)	9 1/16" (230mm)	Press Relief Valve/ Service Port	3/8" Male O-Ring	3/8" Male O-Ring	6	Side	Top	1001452029
3" (76.2mm)	9 1/4" (235mm)	Press Relief Valve/ Moisture Indicator	3/8" Male O-Ring	3/8" Male O-Ring	6	Side	-	1001452030
3" (76.2mm)	6 5/16" (160.3mm)	Pressure Relief Valve	3/8" Male O-Ring	3/8" Male O-Ring	6	Side	Top	B402496
3" (76.2mm)	9" (228.6mm)	High Pressure Relief Valve	3/8" Male O-Ring	3/8" Male O-Ring	6	Side	Top	540059
3" (76.2mm)	8 11/16" (220.6mm)	-	3/8" Male O-Ring	3/8" Male O-Ring	12	None	Side	540094
3" (76.2mm)	6 5/16" (160.3mm)	Fuse Plug	3/8" Male O-Ring	3/8" Male O-Ring	4	Side	Top	1001479521
3" (76.2mm)	8 1/4" (209.6mm)	High Pressure Relief Valve	3/8" Male O-Ring	3/8" Male O-Ring	12	Top	Side	540111C
3" (76.2mm)	10 1/8" (257.2mm)	High Pressure Relief Valve/Moisture Indicator	3/8" Male O-Ring	3/8" Male O-Ring	16	Top	Top	540241
3" (76.2mm)	5 3/4" (146mm)	Fuse Plug/Service Port	3/8" Male O-Ring	3/8" Male O-Ring	-	Side	-	1000310183
3" (76.2mm)	6 5/16" (160.3mm)	High Pressure Relief Valve	3/8" Male O-Ring	3/8" Male O-Ring	12	-	Top	1000554489
3" (76.2mm)	6 5/16" (160.3mm)	Refrigerant Valve with Core	3/8" Male O-Ring	3/8" Male O-Ring	12	-	-	1000622970
3" (76.2mm)	10 5/8" (270mm)	-	Pad Mount	Pad Mount	11	-	-	1001452327
3" (76.2mm)	8 3/16" (208mm)	Service Port/Moisture Indicator	1/2" Female O-Ring	1/2" Male O-Ring	9	Top	Side	1001452358
3" (76.2mm)	6 5/16" (160.3mm)	Press Relief Valve	3/8" Male O-Ring	3/8" Male O-Ring	6	Side	Top	1001453765
3" (76.2mm)	7 3/8" (187.5mm)	Pressure Relief Valve/Low Pressure Switch	3/8" Male O-Ring	3/8" Male O-Ring	4	Side	Top	1002106141
3" (76.2mm)	10 5/8" (271mm)	-	No. 8 Slimline	No. 8 Slimline	12	-	-	1002460531
3" (76.2mm)	9 3/8" (271.4mm)	-	5/8"-18 Male O-Ring	5/8"-18 Male O-Ring	-	-	-	1002614241
3" (76.2mm)	10 11/16" (221mm)	-	Pad Mount	Pad Mount	12 (196.8cc) XH-9	-	-	1002789054
3" (76.2mm)	10 5/8" (271mm)	-	Pad Mount	Pad Mount	150g	-	-	1002972032
3" (76.2mm)	10 1/4" (260.4mm)	-	Pad Mount	Pad Mount	150g	-	-	1002972033
3 7/32" (81.8mm)	8 11/16" (221mm)	Moisture Indicator	1/2" Female O-Ring	1/2" Male O-Ring	12 (165g) XH-9	-	Top	1002276874
4" (101.6mm)	6 11/16" (170mm)	-	Pad Mount	Pad Mount	16	-	-	1000039695
4" (101.6mm)	6 9/16" (166.6mm)	-	Pad Mount	Pad Mount	14	-	-	1000298975

Receiver Drier Specifications

O-Ring Type Driers

Diameter	Height	Fuse/Pressure	Inlet	Outlet	Desiccant Level	Port	Glass	Part No
4" (101.6mm)	6 9/16" (166.6mm)	-	Pad Mount	Pad Mount	16	-	-	1001450425
4" (101.6mm)	6 9/16" (166.6mm)	-	Pad Mount	Pad Mount	14	-	-	1001450427
4" (101.6mm)	6 9/16" (166.6mm)	-	Pad Mount	Pad Mount	14	-	-	1001860902
4" (101.6mm)	8 5/16" (211mm)	-	1-7/16" Male Oring	1-7/16" Male Oring	-	-	-	1001453083

Quick Disconnect Type Driers

Diameter	Height	Fuse/Pressure	Inlet	Outlet	Desiccant Level	Port	Glass	Part No
2 1/2" (63.5mm)	7 3/4" (196.8mm)	-	Quick Disconnect	Quick Disconnect	16	-	-	1001478811
2 1/2" (63.5mm)	7 3/4" (196.8mm)	-	Quick Disconnect	Quick Disconnect	16	-	-	1002447375
3" (76.2mm)	10 1/4" (260.4mm)	Service Port/Service Port	Quick Disconnect	Quick Disconnect	18	Top	Top	1001450386

In-Line Driers

Diameter	Height	Fuse/Pressure	Inlet	Outlet	Desiccant Level	Port	Glass	Part No
2 1/2" (63.5mm)	7 5/8" (193.7mm)	High Pressure Relief Valve	3/8" Female O-Ring	3/8" Male O-Ring	16	Top	Top	B402618
2 1/2" (63.5mm)	8 3/16" (208mm)	Moisture Indicator	1/2" Male O-Ring	1/2" Male O-Ring	2.2	-	Side	1001264912
2 1/2" (63.5mm)	9 1/2" (241.3mm)	-	3/8" Male O-Ring	3/8" Male O-Ring	11	-	-	1001452332
2 1/2" (63.5mm)	11" (279.4mm)	-	3/8" Male O-Ring	1/2" Male O-Ring	4	-	-	1001453429
3" (76.2mm)	11 5/16" (287mm)	Moisture Indicator	1/2" Male O-Ring	1/2" Male O-Ring	32	Side	-	1001452336
3 1/2" (88.9mm)	9 1/4" (235mm)	-	1"-14	13/16"-16	39.2	-	-	1000281228
4" (101.6mm)	7 3/4" (196.8mm)	-	3/8" Male O-Ring	3/8" Male O-Ring	12	Top	Top	1001429706
4" (101.6mm)	7 7/8" (200mm)	-	3/8" Male O-Ring	3/8" Male O-Ring	11	-	-	1001453097
4 1/16" (103.1mm)	7 1/2" (190.5mm)	-	3/8" Female O-Ring	3/8" Male O-Ring	11	-	-	1001479516

Accumulators

Diameter	Height	Fuse/Pressure	Inlet	Outlet	Desiccant Level	Port	Glass	Part No
2 3/8" (60.3mm)	9 7/8" (250.8mm)	-	Pad Mount	Pad Mount	3	-	-	1001452347
3" (76.2mm)	7 1/16" (179.5mm)	-	Pad Mount	Pad Mount	4.6	-	-	1000812369
3" (76.2mm)	7 1/16" (179.5mm)	12mm Switch Port/13mm Charge Port	Pad Mount	Pad Mount	4.6	Side	-	1000812426
3" (76.2mm)	6 5/16" (160.3mm)	-	3/8" Tube O-Ring	Pad Mount	5	-	-	1001450645
3" (76.2mm)	6" (152.4mm)	-	Pad Mount	Pad Mount	5	-	-	1001450661
3 1/2" (88.9mm)	8 1/8" (206.4mm)	Charging Valve, Switch Ports	5/8" Male Insert O-Ring	3/4" Male Insert O-Ring	-	-	-	526112
3 1/2" (88.9mm)	10 7/8" (276.2mm)	-	Pad Mount	Pad Mount	7	-	-	1001450636
3 1/2" (88.9mm)	9 1/4" (235mm)	-	Pad Mount	Pad Mount	7	-	-	1001451959
3 1/2" (88.9mm)	12 5/16" (312.4mm)	12mm Switch Port/R-134a Quick Coupler Service Port	5/8" Male Insert O-Ring	5/8" Male Insert O-Ring	-	-	-	526110
3 1/2" (88.9mm)	8 5/8" (219mm)	-	Pad Mount	Pad Mount	7	-	-	1001451954
3 5/8" (92mm)	8 1/8" (206.4mm)	-	Pad Mount	Pad Mount	-	-	-	526333C
3 11/16" (93.6mm)	9 1/8" (231.8mm)	-	Universal	Universal	-	-	-	525985C
4 1/2" (114.3mm)	6 1/4" (158.8mm)	-	Pad Mount	Pad Mount	-	-	-	1000477649

O-Ring Type Receiver Driers

Part No: 526024C		Part No: 540059		Part No: 540062	
					
Height: 9 3/16" (233.2mm)	Diameter: 3" (76.2mm)	Height: 9" (228.6mm)	Diameter: 3" (76.2mm)	Height: 10 5/32" (258mm)	Diameter: 2 3/4" (69.9mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring	Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring	Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Moisture Indicator	Desiccant Level: 12	Fuse/Pressure: High Pressure Relief Valve	Desiccant Level: 6	Fuse/Pressure: Fuse Plug	Desiccant Level: 11
Port: Top	Glass: Top	Port: Side	Glass: Top	Port: Top	Glass: Side

Receiver Driers

O-Ring Type Receiver Driers (cont'd)

Part No: 540072C



Height: 10 1/8" (257.2mm)	Diameter: 3" (76.2mm)
Inlet: 3/8 Male O-Ring	Outlet: 3/8 Female O-Ring
Fuse/Pressure: (2) M10 Gauge Ports	Desiccant Level: 16
Port: Top	Glass: Top

Part No: 540078C



Height: 10 1/8" (257.2mm)	Diameter: 3" (76.2mm)
Inlet: 3/8 Male O-Ring	Outlet: 3/8 Male O-Ring
Fuse/Pressure: Fuse Plug / Moisture Indicator	Desiccant Level: 12
Port: Top	Glass: Top

Part No: 540094



Height: 8 11/16" (220.6mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Glass: Side	Desiccant Level: 12

Part No: 540107C



Height: 10 1/8" (257.2mm)	Diameter: 3" (76.2mm)
Inlet: 7/16 Female O-Ring	Outlet: 3/8 Female O-Ring
Fuse/Pressure: High Pressure Relief Valve	Desiccant Level: 10
Port: Top	Glass: Top

Part No: 540111C



Height: 8 1/4" (209.6mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: High Pressure Relief Valve	Desiccant Level: 12
Port: Top	Glass: Side

Part No: 540121



Height: 9 1/4" (235mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring (Schrader Ports)	Outlet: 3/8" Male O-Ring (Schrader Ports)
Fuse/Pressure: Fuse Plug	Desiccant Level: 4
Port: Side	Glass: Top

Part No: 540127C



Height: 10 1/8" (257.2mm)	Diameter: 3" (76.2mm)
Inlet: 7/16 Female O-Ring	Outlet: 3/8 Female O-Ring
Fuse/Pressure: High Pressure Relief Valve	Desiccant Level: 10
Port: Top	Glass: Top

Part No: 540241



Height: 10 1/8" (257.2mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: High Pressure Relief Valve / Moisture Indicator	Desiccant Level: 16
Port: Top	Glass: Top

Part No: 540433C



Height: 10 1/4" (260.4mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Fuse/Pressure: (2) M10 Switch Ports	Desiccant Level: 16
Port: Top	Glass: Top

Receiver Driers

O-Ring Type Receiver Driers (cont'd)

Part No: 1000007893



Height: 9 3/4" (247.7mm)	Diameter: 3" (76.2mm)
Inlet: 5/8" Female O-Ring	Outlet: 5/8" Male O-Ring
Fuse/Pressure: Moisture Indicator	Desiccant Level: 12
Port: Top	Glass: Top

Part No: 1000039695



Height: 6 11/16" (170mm)	Diameter: 4" (101.6mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 16	

Part No: 1000259980



Height: 10 11/16" (271.4mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Tube Female	Outlet: 3/8" Tube Female
Desiccant Level: 12	

Part No: 1000259981



Height: 10 11/16" (271.4mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Tube Female	Outlet: 3/8" Tube Female
Desiccant Level: 12	

Part No: 1000259983



Height: 10 11/16" (271.4mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Tube Female	Outlet: 3/8" Tube Female
Desiccant Level: 12	

Part No: 1000259984



Height: 10 11/16" (271.4mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Tube Female	Outlet: 3/8" Tube Female
Desiccant Level: 12	

Part No: 1000298975



Height: 6 3/4" (171.5mm)	Diameter: 4" (101.6mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 14	

Part No: 1000310183



Height: 5 3/4" (146mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Fuse Plug/Service Port	Port: Side

Part No: 1000554489



Height: 6 5/16" (160.3mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: High Pressure Relief Valve	Desiccant Level: 12
Glass: Top	

Receiver Driers

O-Ring Type Receiver Driers (cont'd)

Part No: 1000622970



Height: 6 5/16" (160.3mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Refrigerant Valve with Core	Desiccant Level: 12

Part No: 1001053396



Height: 10 11/16" (271.4mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 12	

Part No: 1001450297



Height: 8 5/16" (211mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Female O-Ring
Fuse/Pressure: Switch Port/Service Port	Desiccant Level: 6
Port: Top	Glass: Top

Part No: 1001450363



Height: 10 1/4" (260.4mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Female O-Ring
Fuse/Pressure: Press Relief Valve/Service Port	Desiccant Level: 6
Port: Top	

Part No: 1001450393



Height: 10 1/4" (260.4mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Female O-Ring
Fuse/Pressure: Moisture Indicator	Desiccant Level: 16
Port: Top	Glass: Top

Part No: 1001450396



Height: 10 1/4" (260.4mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Fuse/Pressure: Moisture Indicator/M10 Switch Port	Desiccant Level: 6
Port: Top	

Part No: 1001450408



Height: 10 3/16" (258.7mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Fuse/Pressure: M10 Switch Port	Desiccant Level: 11
Port: Side	

Part No: 1001450425



Height: 6 9/16" (166.6mm)	Diameter: 4" (101.6mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 16	

Part No: 1001450427



Height: 6 9/16" (166.6mm)	Diameter: 4" (101.6mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 14	

Receiver Driers

O-Ring Type Receiver Driers (cont'd)

Part No: 1001450631



Height: 10 1/16" (255.6mm)	Diameter: 3" (76.2mm)
Inlet: 11/16" Female O-Ring	Outlet: 3/8" Female O-Ring
Fuse/Pressure: Press Relief Valve	Desiccant Level: 9
Port: Top	

Part No: 1001451454



Height: 10 1/16" (255.6mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Press Relief Valve	Desiccant Level: 6
Port: Side	

Part No: 1001451771



Height: 10 3/16" (258.7mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Female O-Ring	Outlet: 3/8" Male O-Ring
Glass: Top	
Desiccant Level: 6	

Part No: 1001451776



Height: 10 3/16" (258.7mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Press Relief Valve/ M10 Service Port/Moisture Indicator	Desiccant Level: 9
Port: Top	

Part No: 1001451908



Height: 10 1/16" (255.6mm)	Diameter: 2 3/4" (70mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Press Relief Valve/Service Port	Desiccant Level: 6
Port: Side	

Part No: 1001451952



Height: 10 3/16" (258.7mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Press Relief Valve/7/16 Service Port/Moisture Indicator	Desiccant Level: 6
Port: Top	

Part No: 1001452021



Height: 10 5/8" (269.9mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 11	

Part No: 1001452027



Height: 10 5/8" (269.9mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 11	

Part No: 1001452028



Height: 10 5/8" (269.9mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 11	

Receiver Driers

O-Ring Type Receiver Driers (cont'd)

Part No: 1001452029



Height: 9 1/16" (230mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Press Relief Valve/Service Port/Moisture Indicator	Desiccant Level: 6
Port: Side	Glass: Top

Part No: 1001452030



Height: 9 1/4" (235mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Press Relief Valve/Moisture Indicator	Desiccant Level: 6
Port: Side	

Part No: 1001452318



Height: 10 1/8" (257.2mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Press Relief Valve	Desiccant Level: 6
Port: Side	

Part No: 1001452327



Height: 10 5/8" (269.9mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 11	

Part No: 1001452358



Height: 8 3/16" (208mm)	Diameter: 3" (76.2mm)
Inlet: 1/2" Female O-Ring	Outlet: 1/2" Male O-Ring
Fuse/Pressure: Service Port/Moisture Indicator	Desiccant Level: 9
Port: Top	Glass: Side

Part No: 1001453083



Height: 8 5/16" (211mm)	Diameter: 4" (101.6mm)
Inlet: 1-7/16" Male Oring	Outlet: 1-7/16" Male Oring

Part No: 1001453433



Height: 6 5/16" (160.3mm)	Diameter: 2 1/2" (63.5mm)
Inlet: M18 Male O-Ring	Outlet: M18 Male O-Ring
Glass: Top	Desiccant Level: 5

Part No: 1001453455



Height: 8" (203.2mm)	Diameter: 2 1/2" (63.5mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Desiccant Level: 4	

Part No: 1001453765



Height: 6 5/16" (160.3mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Press Relief Valve	Desiccant Level: 6
Port: Side	Glass: Top

Receiver Driers

O-Ring Type Receiver Driers (cont'd)

Part No: 1001479521



Height: 6 5/16" (160.3mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Fuse Plug	Desiccant Level: 4
Port: Side	Glass: Top

Part No: 1001860902



Height: 6 9/16" (166.6mm)	Diameter: 4" (101.6mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 14	

Part No: 1002089977



Height: 8" (203.2mm)	Diameter: 2 1/2" (63.5mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-ring
Fuse/Pressure: Refrigerant Valve with Core	Desiccant Level: 8

Part No: 1002090588



Height: 10 1/4" (260.4mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 12	

Part No: 1002106141



Height: 7 3/8" (187.5mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: Pressure Relief Valve/Low Pressure Switch	Desiccant Level: 4
Port: Side	Glass: Top

Part No: 1002276874



Height: 8 11/16" (221mm)	Diameter: 3 7/32" (81.8mm)
Inlet: No. 1/2 Female O-Ring with 3/4-18-2B thread	Outlet: No. 1/2 Male O-Ring with 3/4-16UNF-2A thread
Fuse/Pressure: Moisture Indicator	Desiccant Level: 12 (165g) XH-9
Glass: Top	

Part No: 1002460531



Height: 10 5/8" (271mm)	Diameter: 3" (76.2mm)
Inlet: No. 8 Slimline	Outlet: No. 8 Slimline
Desiccant Level: 12	

Part No: 1002614241



Height: 9 3/8" (238mm)	Diameter: 3" (76.2mm)
Inlet: No. 6 (5/8"-18) Male O-Ring	Outlet: No. 6 (5/8"-18) Male O-Ring

Part No: 1002789054



Height: 10 11/16" (271.4mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: No. Pad Mount
Desiccant Level: 12 (196.8cc) XH-9	

Receiver Driers

O-Ring Type Receiver Driers (cont'd)

Part No: 1002972032



Height: 10 5/8" (270mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 150g	

Part No: 1002972033



Height: 10 1/4" (260.40mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 150g	

Part No: B402496



Height: 6 5/16" (160.3mm)	Diameter: 3" (76.2mm)
Inlet: 3/8 Male O-Ring	Outlet: 3/8 Male O-Ring
Fuse/Pressure: Pressure Relief Valve	Desiccant Level: 6
Port: Side	Glass: Top

Part No: B402562



Height: 8" (203.2mm)	Diameter: 2 1/2" (63.5mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: High Pressure Relief Valve	Desiccant Level: 6
Glass: Top	

Part No: B402565



Height: 10" (254mm)	Diameter: 2 3/4" (69.9mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: High Pressure Relief Valve/ Low Pressure Switch	Glass: Top
Port: Side	

Quick Disconnect Type Receiver Driers

Part No: 1001450386




Height: 10 1/4" (260.4mm)	Diameter: 3" (76.2mm)
Inlet: Quick Disconnect	Outlet: Quick Disconnect
Fuse/Pressure: Service Port/Service Port	Desiccant Level: 18
Port: Top	Glass: Top

Part No: 1001478811



Height: 7 3/4" (196.8mm)	Diameter: 2 1/2" (63.5mm)
Inlet: Quick Disconnect	Outlet: Quick Disconnect
Desiccant Level: 16	

Part No: 1002447375



Height: 7 3/4" (196.8mm)	Diameter: 2 1/2" (63.5mm)
Inlet: Quick Disconnect	Outlet: Quick Disconnect
Desiccant Level: 16	

Receiver Driers

In-Line Type Receiver Driers

Part No: 1000281228



Height: 9 1/4" (235mm)	Diameter: 3 1/2" (88.9mm)
Inlet: 1"-14	Outlet: 13/16"-16
Desiccant Level: 39.2	

Part No: 1001264912



Height: 8 3/16" (208mm)	Diameter: 2 1/2" (63.5mm)
Inlet: 1/2" Male O-Ring	Outlet: 1/2" Male O-Ring
Fuse/Pressure: Moisture Indicator	Desiccant Level: 2.2
Glass: Side	

Part No: 1001429706



Height: 7 3/4" (196.8mm)	Diameter: 4" (101.6mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" female O-Ring
Port: Top	Desiccant Level: 12
Glass: Top	

Part No: 1001452332




Height: 9 1/2" (241.3mm)	Diameter: 2 1/2" (63.5mm)
Inlet: 3/8" Male O-Ring	Outlet: 3/8" Male O-Ring
Desiccant Level: 11	

Part No: 1001452336



Height: 11 5/16" (287mm)	Diameter: 3" (76.2mm)
Inlet: 1/2" Male O-Ring	Outlet: 1/2" Male O-Ring
Fuse/Pressure: Moisture Indicator	Desiccant Level: 32
Port: Side	

Part No: 1001453097



Height: 7 7/8" (200mm)	Diameter: 4" (101.6mm)
Inlet: 3/8" Female O-Ring	Outlet: 3/8" Male O-Ring
Desiccant Level: 11	

Part No: 1001453429



Height: 11" (279.4mm)	Diameter: 2 1/2" (63.5mm)
Inlet: 3/8" Male O-Ring	Outlet: 1/2" Male O-Ring
Desiccant Level: 4	

Part No: 1001479516



Height: 7 1/2" (190.5mm)	Diameter: 4 1/16" (103.1mm)
Inlet: 3/8" Female O-Ring	Outlet: 3/8" Male O-Ring
Desiccant Level: 11	

Part No: B402618



Height: 7 5/8" (193.7mm)	Diameter: 2 1/2" (63.5mm)
Inlet: 3/8" Female O-Ring	Outlet: 3/8" Male O-Ring
Fuse/Pressure: High Pressure Relief Valve	Desiccant Level: 16
Port: Top	Glass: Top

Receiver Driers

Spin-On Receiver Driers

Part No: 530743



General Specifications: Spin-on filter drier for 17700A, 17700-2K, 34134A, 34134-2K, 342000, 34234, 34300-2K, 34700, 34700-2K, 34800, 34800-2K, 34900 series

Accumulators

Part No: 525985C



Height: 9 1/8" (231.8mm)	Diameter: 3 11/16" (93.6mm)
Inlet: Universal Accumulator	Outlet: Universal Accumulator

Part No: 526110



Height: 12 5/16" (312.4mm)	Diameter: 3 1/2" (88.9mm)
Inlet: 5/8" Male Insert O-Ring	Outlet: 5/8" Male Insert O-Ring
Fuse/Pressure: 12mm Switch Port/R-134a Quick Coupler Service Port	

Part No: 526112



Height: 8 1/8" (206.4mm)	Diameter: 3 1/2" (88.9mm)
Inlet: 5/8" Male Insert O-Ring	Outlet: 3/4" Male Insert O-Ring
Fuse/Pressure: Charging Valve, Switch Ports	Port: Charging Valve, Switch

Part No: 526333C



Height: 8 1/8" (206.4mm)	Diameter: 3 5/8" (92mm)
Inlet: Pad Mount	Outlet: Pad Mount

Part No: 1000477649



Height: 6 1/4" (158.8mm)	Diameter: 4 1/2" (114.3mm)
Inlet: Pad Mount	Outlet: Pad Mount

Part No: 1000812369



Height: 7 1/16" (179.5mm)	Diameter: 3" (76mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 4.6	

Receiver Driers

Accumulators (cont'd)

Part No: 1000812426



Height: 7 1/16" (179.5mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Fuse/Pressure: 12mm Switch Port/13mm Charge Port	Desiccant Level: 4.6
Port: Side	

Part No: 1001450636



Height: 10 7/8" (276.2mm)	Diameter: 3 1/2" (89mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 7	

Part No: 1001450645



Height: 6 5/16" (160.3mm)	Diameter: 3" (76.2mm)
Inlet: 3/8" Tube O-Ring	Outlet: Pad Mount
Desiccant Level: 5	

Part No: 1001450661



Height: 6" (152.4mm)	Diameter: 3" (76.2mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 5	

Part No: 1001451954



Height: 8 5/8" (219mm)	Diameter: 3 1/2" (89mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 7	

Part No: 1001451959



Height: 9 1/4" (235mm)	Diameter: 3 1/2" (89mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 7	

Part No: 1001452347



Height: 9 7/8" (250.8mm)	Diameter: 2 3/8" (60.3mm)
Inlet: Pad Mount	Outlet: Pad Mount
Desiccant Level: 3	

Brackets & Valve Kits

Mounting Brackets

Part No: B510563-S



General Specifications: Receiver Drier Weldment Bracket


Part No: B514043-S



General Specifications: Receiver Drier Bracket, economical model for light duty applications (accepts 2 1/2" diameter driers).

Pressure Relief Valve Kits

Part No: 1002509897



General Specifications: Pressure Relief Valve Kit

Receiver Drier Service Tips

The receiver drier stores excess refrigerants, filters out contaminants from the HVAC system, and removes moisture to protect the system from internal corrosion.

Service Tips on Receiver Driers	
Placement	Placement should be on the high-pressure side and warm to touch during operation.
Visually Inspect for Leaks	Visually inspect fittings; note any oil seepage. This may indicate a leak.
Receiver Drier Replacement	Upon opening the system always replace the receiver drier with a new, original OEM part.
Fittings	Never leave the fittings uncovered prior to installation.
HVAC System Servicing	The receiver Drier should be the last component replaced during service of the HVAC system.

